

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 345142 Y1	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 1/22/2020 Y2
NAME OF FACILITY UNIVERSITY PLACE NURSING AND REHABILITATION CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 9200 GLENWATER DRIVE CHARLOTTE, NC 28262	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0582	Correction	ID Prefix F0641	Correction	ID Prefix F0679	Correction
Reg. # 483.10(g)(17)(18)(i)-(v)	Completed	Reg. # 483.20(g)	Completed	Reg. # 483.24(c)(1)	Completed
LSC	01/22/2020	LSC	01/22/2020	LSC	01/22/2020
ID Prefix F0695	Correction	ID Prefix F0761	Correction	ID Prefix	Correction
Reg. # 483.25(i)	Completed	Reg. # 483.45(g)(h)(1)(2)	Completed	Reg. #	Completed
LSC	01/22/2020	LSC	01/22/2020	LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 11/22/2019		<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? <input type="checkbox"/> YES <input type="checkbox"/> NO		