STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	345278	A. BUILDING _____ B. WING _____	03/17/2021

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NORTHERN REGIONAL HOSPITAL	830 ROCKFORD STREET MOUNT AIRY, NC 27030

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
E 000	Initial Comments The survey team entered the facility on 03/15/21 to conduct a Recertification survey. The survey team was onsite 03/15/21 and 03/16/21. Additional information was obtained offsite on 03/17/21. Therefore, the exit date was 03/17/21. The facility was found in compliance with the requirement CFR 483.73, Emergency Preparedness. Event ID#V19C11	E 000		
F 000	INITIAL COMMENTS The survey team entered the facility on 03/15/21 to conduct a recertification survey. The survey team was onsite 03/15/21 and 03/16/21. Additional information was obtained offsite on 03/17/21. Therefore, the exit date was 03/17/21. The facility is in compliance with the requirements of 42 CFR Part 483, Subpart B for Long Term Care Facilities (General Health Survey). Event ID#V19C11.	F 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Electronically Signed | 03/22/2021

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients . (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.