

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/13/2021  
FORM APPROVED  
OMB NO. 0938-0391

|  |   |  |   |
|--|---|--|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br><b>345092</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____ | (X3) DATE SURVEY COMPLETED<br><br><b>R-C</b><br><b>07/02/2021</b> |
|--|---|--|---|

|   |   |
|---|---|
| NAME OF PROVIDER OR SUPPLIER<br><br><b>THE CITADEL AT WINSTON SALEM</b> | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>1900 W 1ST STREET</b><br><b>WINSTON-SALEM, NC 27104</b> |
|---|---|

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
|--------------------|--|---------------|---|----------------------|
|--------------------|--|---------------|---|----------------------|

|         |   |         |  |  |
|---------|---|---------|--|--|
| {F 000} | <p>INITIAL COMMENTS</p> <p>An onsite revisit survey and complaint investigation survey was conducted on 07/02/2021 and the facility is back into compliance effective 05/19/2021.</p> <p>7 of the 7 Allegations were unsubstantiated.</p> | {F 000} |  |  |
|---------|---|---------|--|--|

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ (X6) DATE \_\_\_\_\_

Electronically Signed

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.