

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/08/2023
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 345556	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 06/30/2021
NAME OF PROVIDER OR SUPPLIER DEERFIELD EPISCOPAL RETIREMENT			STREET ADDRESS, CITY, STATE, ZIP CODE 1617 HENDERSONVELLE ROAD ASHEVILLE, NC 28803		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments An unannounced recertification survey was conducted on 6/28/21 through 6/30/21. The facility was found in compliance with the requirement CFR 483.73, Emergency Preparedness. Event ID 0BZF11.	E 000			
F 000	INITIAL COMMENTS An unannounced recertification and complaint investigation survey was conducted on 6/28/21 through 6/30/21. There were 3 allegations investigated and they were all unsubstantiated. The facility is in compliance with the requirements of 42 CFR Part 283, Subpart B for Long Term Care Facilities (General Health Survey). Event ID # 0BZF11.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

07/06/2021

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.