

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 345567 Y1	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 6/13/2024 Y2 Y3
NAME OF FACILITY AUTUMN CARE OF CORNELIUS	STREET ADDRESS, CITY, STATE, ZIP CODE 19530 MOUNT ZION PARKWAY CORNELIUS, NC 28031	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0554	Correction	ID Prefix F0636	Correction	ID Prefix F0656	Correction
Reg. # 483.10(c)(7)	Completed	Reg. # 483.20(b)(1)(2)(i)(iii)	Completed	Reg. # 483.21(b)(1)(3)	Completed
LSC	05/20/2024	LSC	05/20/2024	LSC	05/20/2024
ID Prefix F0690	Correction	ID Prefix F0761	Correction	ID Prefix F0804	Correction
Reg. # 483.25(e)(1)-(3)	Completed	Reg. # 483.45(g)(h)(1)(2)	Completed	Reg. # 483.60(d)(1)(2)	Completed
LSC	05/20/2024	LSC	05/20/2024	LSC	05/20/2024
ID Prefix F0867	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 483.75(c)(d)(e)(g)(2)(i)(ii)	Completed	Reg. #	Completed	Reg. #	Completed
LSC	05/20/2024	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON 5/2/2024

CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? YES NO