

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 345215	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 10/02/2025
NAME OF PROVIDER OR SUPPLIER River Trace Nursing and Rehabilitation Center			STREET ADDRESS, CITY, STATE, ZIP CODE 250 Lovers Lane , Washington, North Carolina, 27889	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F0000	<p>INITIAL COMMENTS</p> <p>A complaint investigation was conducted from 10/01/25 through 10/02/25. Event ID# 1DA8C5-H1. The following intakes were investigated: 2560560, 2629384, and 2620530.</p> <p>5 of the 5 complaint allegations did not result in deficiency.</p> <p>The posting of this Statement of Deficiency (SOD) was delayed as a result of the Federal Government Shutdown. This complaint investigation was conducted in conjunction with an onsite revisit survey and CMS authorized the posting of this SOD in accordance with QSO-26-01-All.</p>	F0000		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------