Division of Health Service Regulation (X3) DATE SURVEY (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION **IDENTIFICATION NUMBER:** COMPLETED A. BUILDING: ____ 09/26/2018 110748 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 400-B CRUTCHFIELD ST NORTH DURHAM WOMEN'S HEALTH, INC DURHAM, NC 27704 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID PREFIX (X5) COMPLETE (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX DATE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG DEFICIENCY) E 000 E 000 Initial Comments An unannounced recertification survey was conducted September 25 - 26, 2018. The facility was found to be in compliance with NC State licensing rules for the operations of abortion clinics. No violations of the rules were identified.

Division of Health Service Regulation LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE