Division of Health Service Regulation STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY COMPLETED IDENTIFICATION NUMBER: AND PLAN OF CORRECTION A. BUILDING: ___ B. WING AB0004 09/18/2025 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE **421 WENDOVER ROAD** A WOMAN'S CHOICE OF CHARLOTTE CHARLOTTE, NC 28211 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X5) COMPLETE DATE (X4) ID (EACH CORRECTIVE ACTION SHOULD BE (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX **PREFIX** CROSS-REFERENCED TO THE APPROPRIATE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG DEFICIENCY) E 000 E 000 Initial Comments An onsite complaint investigation and license survey was conducted on September 18, 2025 to determine compliance with the North Carolina Rules Governing the Certifications of Clinics for the Performance of Abortions. No deficiencies were cited. NC00225215

Division of Health Service Regulation
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE