

## POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 345260	Y1	MULTIPLE CONSTRUCTION A. Building B. Wing	Y2	DATE OF REVISIT 6/27/2018	Y3
NAME OF FACILITY ROCKY MOUNT REHABILITATION CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 160 S WINSTEAD AVENUE ROCKY MOUNT, NC 27804		

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0623	Correction	ID Prefix F0625	Correction	ID Prefix F0761	Correction
Reg. # 483.15(c)(3)-(6)(8)	Completed	Reg. # 483.15(d)(1)(2)	Completed	Reg. # 483.45(g)(h)(1)(2)	Completed
LSC	06/15/2018	LSC	06/15/2018	LSC	06/15/2018
ID Prefix F0812	Correction	ID Prefix F0849	Correction	ID Prefix F0865	Correction
Reg. # 483.60(i)(1)(2)	Completed	Reg. # 483.70(o)(1)-(4)	Completed	Reg. # 483.75(a)(2)(h)(i)	Completed
LSC	06/15/2018	LSC	06/15/2018	LSC	06/15/2018
ID Prefix F0880	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 483.80(a)(1)(2)(4)(e)(f)	Completed	Reg. #	Completed	Reg. #	Completed
LSC	06/15/2018	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 5/24/2018		<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? <span style="float: right;"><input type="checkbox"/> YES <input type="checkbox"/> NO</span>		