

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/28/2020
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 345547	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/22/2020
NAME OF PROVIDER OR SUPPLIER CAMDEN HEALTH AND REHABILITATION			STREET ADDRESS, CITY, STATE, ZIP CODE 1 MARITHE COURT GREENSBORO, NC 27407		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments An unannounced COVID-19. Focused Survey was conducted 5/21/2020 through 5/22/20. The facility was found to be in compliance with 42CFR 483.73 related to E-0024 (b)(6). Subpart B-Requirement For long Term Care Facilities. Event #LUE511	E 000			
F 000	INITIAL COMMENTS An unannounced COVID-19, Focused Survey was conducted 5/21/2020 through 5/22/2020. The facility was found to be in compliance with 42 CFR. 483.80 infection control regulations and has implemented the CMS and Center for Disease Control and prevention (CDC) recommended practices to prepare for COVID-19 Eventh # ID LUE511	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.