

STATEMENT OF ISOLATED DEFICIENCIES WHICH CAUSE NO HARM WITH ONLY A POTENTIAL FOR MINIMAL HARM FOR SNFs AND NFs	PROVIDER #  <b>345241</b>	MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	DATE SURVEY COMPLETE:  <b>7/27/2023</b>
--	---------------------------------	--	--

NAME OF PROVIDER OR SUPPLIER  <b>EDEN REHABILITATION AND HEALTHCARE CENTER</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>226 N OAKLAND AVENUE EDEN, NC</b>
--	---

ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES
---------------------	-----------------------------------

<b>F 641</b>	<p>Accuracy of Assessments CFR(s): 483.20(g)</p> <p>§483.20(g) Accuracy of Assessments. The assessment must accurately reflect the resident's status. This REQUIREMENT is not met as evidenced by: Based on record review, observations, and staff interviews, the facility failed to accurately code the Minimum Data Set (MDS) assessments for 1 of 25 sampled residents whose MDS were reviewed (Resident #39).</p> <p>The findings included:</p> <p>Resident #39 was admitted to the facility on 5/08/18.</p> <p>Record review of the Safe Smoking Evaluation dated 2/08/23 revealed Resident #39 was a safe smoker.</p> <p>The Minimum Data Set (MDS) annual assessment dated 4/06/23 revealed Resident #39 was not coded for tobacco use.</p> <p>An interview was conducted on 7/26/23 at 10:41 am with the MDS Nurse who revealed she was aware Resident #39 was a smoker but coded her assessment incorrectly.</p> <p>During an interview with the Administrator on 7/27/23 at 11:24 am she revealed the MDS Nurse was responsible to accurately code Resident #39's MDS assessment.</p>
--------------	--

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of

The above isolated deficiencies pose no actual harm to the residents