

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 345063 Y1	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 1/2/2024 Y3
NAME OF FACILITY ACCORDIUS HEALTH AT WILSON	STREET ADDRESS, CITY, STATE, ZIP CODE 1804 FOREST HILLS ROAD W WILSON, NC 27893	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0644	Correction	ID Prefix F0645	Correction	ID Prefix F0808	Correction
Reg. # 483.20(e)(1)(2)	Completed	Reg. # 483.20(k)(1)-(3)	Completed	Reg. # 483.60(e)(1)(2)	Completed
LSC	12/18/2023	LSC	12/18/2023	LSC	12/18/2023
ID Prefix F0812	Correction	ID Prefix F0867	Correction	ID Prefix F0919	Correction
Reg. # 483.60(i)(1)(2)	Completed	Reg. # 483.75(c)(d)(e)(g)(2)(i)(ii)	Completed	Reg. # 483.90(g)(1)(2)	Completed
LSC	12/18/2023	LSC	12/18/2023	LSC	12/18/2023
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON 12/1/2023

CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? YES NO