

### NC Department of Health and Human Services NC Nurse Aide | Curriculum

**Module G Basic Restorative Care July 2019** 

### **Objectives**

- Explain the role of the nurse aide in basic restorative care
- Describe the processes involved with bowel and bladder training

#### **Basic Restorative Care**

Care provided after rehabilitation when the resident's highest possible functioning has been restored following illness/injury



### **Basic Restorative Care – Importance**

- Maintain/improve abilities
- Prevent further complications
- Aim toward independence
- Team effort
- Assist individual to accept or adapt



# Basic Restorative Care – Nurse Aide's Role (1)

- Recognize loss of independence
- Encourage resident and support family
- Be sensitive to resident's needs



# \*Basic Restorative Care – Nurse Aide's Role (2)

- Be positive and supportive
- Emphasize abilities
- Explain planned activities and how nurse aide will help
- Treat with respect
- Allow for expression of feelings
- Develop empathy for situation
- Praise accomplishments

# \*Basic Restorative Care – Nurse Aide's Role (3)

- Review skills
- Focus on small tasks and accomplishments
- Recognize and address setbacks



# \*Basic Restorative Care – Nurse Aide's Role (4)

- Give resident control
- Encourage choice
- Encourage selections of appropriate clothing
- Show patience



# \*Basic Restorative Care – Nurse Aide's Role (5)

- Provide for rest periods
- Encourage independence during activity
- Encourage use of adaptive devices
- Consider involving family



#### \*Prosthetic Device

- Replacement for loss of a body part
- Role of nurse aide:

-Keep the prosthesis and the skin under it

dry and clean



#### \*Orthotic Device

- Artificial device that helps support and align a limb and improves function
- Role of nurse aide:
  - Keep the orthotic device and the skin under it dry and clean




### \*Supportive Device

 Special equipment that helps a disabled or ill resident with movement



### \*Assistive (Adaptive) Devices

- Special equipment that helps a disabled or ill resident perform activities of daily living (ADLs)
- Promotes independence
- Successful use depends on...



### \*Positioning Assistive Devices (1)

## Pillows are used to position a resident in a side lying position



### \*Positioning Assistive Devices (2)

#### **Abduction Pillow**



### **Wedge Pillow**



### \*Positioning Assistive Devices (3)

### Small Cylinder Neck Long Cylinder Pillow **Roll Pillow**





### \*Positioning Assistive Devices (4)

#### **Bed Cradle**



### \*Assistive Eating Devices (1)

### Plate with raised lip and Spoon



Divided plate, Spoon, and cup



### \*Assistive Eating Devices (2)

### Drinking cup with flexible straw



### Curved Handle Spoon



### \*Assistive Dressing Devices (1)

#### **Button Fastener**



### **Zipper Pull and Shirt** and Jacket Pull



### \*Assistive Dressing Devices (2)

### Sock and Stocking Aid



### Sock and Stocking Aid



# \*Assistive Dressing Devices (3) Long-Handled Shoe Horn



### \*Assistive Hygiene Devices (1)

### **Electric Toothbrush** Denture Toothbrush





### \*Assistive Hygiene Devices (2)

**Fingernail Cleaner** 




### **Fingernail Cleaner**




### \*Assistive Hygiene Devices (3)

### **Long-Handled Sponge**



### \*Assistive Hygiene Devices (4)


- Device used by resident's with diabetes to examine heels for abrasions or sores
- Device used by resident's with diabetes to wash feet



### \*Assisting Reaching Tool Device

#### Assistive Reaching Assistive Reaching Tool

### Tool





### \*Adaptive Devices Recording and Reporting

- Activity attempted?
- Assistive devices used?
- Success?
- Increase/decrease in ability?
- Changes in attitude or motivation?
- Changes in health?

# \*Basic Restorative Care Things To Always Remember

- Sometimes you may think it is easier and quicker to.....
- Independence helps with the resident's selfesteem and speeds up recovery

# \*Bowel and Bladder Training Importance

- Measures taken to restore function of urination and defecation by resident, with ultimate goal of continence
- Incontinence is embarrassing
- Will limit lifestyle
- Odors can cause family to shun
- Infections can develop
- May find it difficult to discuss

### \*Bowel and Bladder Training Nurse Aide's Role (1)

- Nurse aide is a valued member of the health care team and is involved with bowel and bladder training plan
- Support explanation by doctor or nurse of bowel training schedule
- Keep an accurate record of
- Answer call light promptly
- Do not rush resident

### \*Bowel and Bladder Training Nurse Aide's Role (2)

- Be positive
- Don't scold
- Assist to bathroom
- Provide privacy
- Provide encouragement
- Offer and encourage fluids

### \*Bowel and Bladder Training Nurse Aide's Role (3)

- Encourage fiber foods fruits, vegetables, breads, and cereals
- Encourage regular exercise
- Teach good peri-care
- Keep bedding clean and odor-free

### \*Bowel and Bladder Training Nurse Aide's Role (4)

- Attempts to void scheduled and resident encouraged to void:
  - When resident awakens
  - One hour before meals
  - Every two hours between meals
  - Before going to bed
  - During night as needed

### \*Bowel and Bladder Training Nurse Aide's Role (5)

- Assist to void by:
  - -Running water in the sink
  - Have resident lean forward, putting pressure on the bladder
  - -Put resident's hands in warm water
  - -Offer fluids to drink
  - Pour warm water over the resident's perineum

### \*Bowel and Bladder Training Nurse Aide's Role (6)

- During bowel training, enemas, laxatives, suppositories, and stool softeners may be ordered
- Enemas involve the introduction of fluid into the colon to eliminate stool or feces or to stimulate bowel activity
  - Enemas will be ordered by the doctor
  - Common varieties of enemas include: tap water, saline, and soapsuds
  - Usually contains approximately 500 ml of the ordered fluid

### \*Bowel and Bladder Training Points to Remember

- Can be accomplished
- Must be consistent and follow plan
- Recording and reporting vital to success
- Success can take 8 to 10 weeks