

10A NCAC 13K .1205 FURNISHINGS FOR HOSPICE INPATIENT CARE

(a) A facility shall provide handgrips at all toilet and bath facilities used by patients. Handrails shall be provided on both sides of all corridors where corridors are defined by walls and used by patients.

(b) For each nursing unit on each floor, the following shall be provided:

- (1) a nourishment station separated from the nurses' station with:
 - (A) work space;
 - (B) cabinets;
 - (C) refrigerated storage;
 - (D) a sink trimmed with valves that can be operated without hands. If the sink is equipped with blade handles, the blade handles shall not be less than four inches in length. If the sink faucet depends on the building electrical service for operation, the faucet shall be connected to the essential electrical system. If the faucet has battery operated sensors, the facility shall have a maintenance policy to keep extra rechargeable or non-rechargeable batteries on premises for the faucets; and
 - (E) a small stove, microwave, or hot plate; and
- (2) a nurses' station with:
 - (A) desk space for writing;
 - (B) storage space for office supplies; and
 - (C) storage space for patients' records.

(c) A facility shall provide flame resistant cubicle curtains in multi-bedded rooms.

*History Note: Authority G.S. 131E-202;
Eff. June 1, 1991;
Readopted Eff. October 1, 2021.*